In the Claims:

Kindly cancel claim 2 without prejudice or disclaimer pursuant to 37 CFR § 121(c)(1)

and replace the previous version of claim 1 with the following rewritten amended version of

claim 1 pursuant to  $37 \, CFR \, \S \, 121(c)(1)$  and in clean form pursuant to  $37 \, CFR \, \S \, 121(c)(1)(i)$ :

1. (amended) A system for locating a golf ball on a golf course by a golfer using a golf

cart, wherein the golf course has fixed objects with locations and a base computer that

reads and triangulates the locations of the fixed objects via a GPS, wherein the golf

cart has a location and a portable computer that is linked by radio communication to

the base computer, wherein the golf cart is in communication with the GPS and has a

display that displays the locations of the fixed objects from the base computer, and

wherein the golf cart and the base computer are linked to the GPS to allow the base

computer to determine the location of the golf cart relative to the locations of the fixed

objects already determined and relay the location of the golf cart back to the portable

computer that displays to the golfer on the display the location of the golf cart relative

to the fixed objects already displayed thereon, said system comprising:

a) a signal generator for operatively connecting to the portable computer, and

generating a first signal when activated;

b) a microchip disposed in the golf ball and receiving said first signal from said

signal generator and generating a second signal in response thereto for

receiving by the base computer which triangulates the location of the golf ball

off the locations of the fixed objects and generates a third signal in response

thereto for receiving by the portable computer which displays on the display

APP. NO.: 09/768,600

PAPER NUMBER 5

4

Cont A3

thereof the location of the golf ball relative to the location of the golf cart already displayed on the display thereof so as to allow the golfer to locate the golf ball; and

an amplifier for operatively connecting to the base computer, and receiving and amplifying said second signal from said microchip for receiving by the base computer.

CHERYL GOLDMAN
APP. NO.: 09/768,600
PAPER NUMBER 5

<u>VERSION WITH MARKINGS TO SHOW CHANGES</u> <u>TO CLAIM 1 PURSUANT TO 37 CFR § 121(c)(1)(ii)</u>

1. (amended) A system for locating a golf ball on a golf course by a golfer using a golf

cart, wherein the golf course has fixed objects with locations and a base computer that

reads and triangulates the locations of the fixed objects via a GPS, [and] wherein the

golf cart has a location and a portable computer that is linked by radio communication

to the base computer, wherein the golf cart is in communication with the GPS[,] and

has a display that displays the locations of the fixed objects from the base computer,

and wherein the golf cart and [so as to allow] the base computer are linked to the

GPS to allow the base computer to determine the location of the golf cart relative to

the locations of the fixed objects already determined and relay the location of the golf

cart back to the portable computer that displays to the golfer on the display the location

of the golf cart relative to the fixed objects already displayed thereon, said system

comprising:

a)

a signal generator for operatively connecting to the portable computer, and

generating a first signal when activated; [and]

b) a microchip disposed in the golf ball and receiving said first signal from said

signal generator and generating a second signal in response thereto for

receiving by the base computer which triangulates the location of the golf ball

off the locations of the fixed objects and generates a third signal in response

thereto for receiving by the portable computer which displays on the display

thereof the location of the golf ball relative to the location of the golf cart

already displayed on the display thereof so as to allow the golfer to locate the

golf ball; and

CHERYL GOLDMAN
APP. NO.: 09/768,600
PAPER NUMBER 5

6

c) an amplifier for operatively connecting to the base computer, and receiving and amplifying said second signal from said microchip for receiving by the base computer.

CHERYL GOLDMAN
APP. NO.: 09/768,600
PAPER NUMBER 5